

Product information:

The CAV115 is an VSGA video cable combined with 3.5mm stereo jack connectors for an audio signal. On one side, the mini jack cable end length is 15 cm (projector side) and on the other side (computer side) the mini jack cable end length is 50 cm. It comes in lengths of 15 meters to 30 meters, providing solutions for all applications.



Properties:



Product Features:

Application

AV & IT

Physical Characteristics:

| | | | | |
|-------------------|---------------------|------------|----------|---------------------------------------|
| Type of cable | | | | 75 Ω VGA video cable |
| Filling | | | | Cotton Yarn |
| Inner conductor | American Wire Gauge | | | 28 AWG |
| | Insulation | Material | | FPE 1.7 mm (Ø) |
| | | Colours | | White |
| | Shielding | Spiral | | BC 54 x 0.10 mm (Ø) (OFC) |
| Inner jacket | Material | | | Temperature resistant PVC (105°C) |
| | Colours | | | Black / White / Red / Green / Blue |
| Inner conductor | Audio | Insulation | Material | PE 0.7 mm (Ø) |
| | | | Colours | Grey / Purple |
| | | Shielding | Spiral | BC 28 x 0.12 mm (Ø) (OFC) |
| Overall shielding | Aluminium foil | | | Al-mylar, 100% coverage - 25% Overlap |
| | Braiding | | | TC 16 x 10 x 0.12 mm (Ø) (OFC) |
| Outer jacket | Material | | | PVC 11 mm (Ø) |
| | Colours | | | Black |
| Inner conductor | Material | | | BC 7 x 0.127 mm (Ø) (OFC) |
| | Audio | Material | | BC 10 x 0.12 mm (Ø) (OFC) |
| Fitted connectors | | | | SVGA male |